

Drugs, their harmful effects and the stages of addiction

Shatha Kamel Ghanem Al-Saeedi

Al-Qadisiyah University, College of Dentistry, Iraq

Corresponding Author Email: baydaa.saleh@qu.edu.iq

Abstract

Drug addiction is one of the biggest problems facing any society, as the number of addicts increases every year with the increase in the types of drugs and their negative impact on young people and the way to prevent them, and their forms, as it has been observed in the recent period that the phenomenon of addiction is no longer limited to the rich only as it was in the past the matter has come to include groups of the poor classes, and perhaps more than the number of rich addicts. In the past, drug use was largely restricted to the male category, but now the female category is taking various drugs, according to the latest studies.

Keywords: Society, young people, rich addicts, female category

المخدرات واضرارها ومراحل الادمان

الخلاصة

يعد إدمان المخدرات من أكبر المشاكل التي تواجه أي مجتمع حيث يزداد في كل عام أعداد المدمنين مع زيادة أنواع المخدرات وتأثيرها السلبي على الشباب وأسلوب الوقاية منها، وأشكالها كما يلاحظ في الفترة الأخيرة أن ظاهرة الإدمان لم تعد مقصورة على الأغنياء فقط كما كان يحدث في الماضي بل الأمر أصبح يشمل فئات من الطبقات الفقيرة وربما بشكل أكبر من عدد الأغنياء المدمنين كما كان تناول المخدرات يقتصر في الماضي بصورة كبيرة على فئة الذكور أما الآن فاصبحت فئة الإناث تتعاطى المخدرات المختلفة وذلك وفقاً لحدثت الدراسات.

الكلمات المفتاحية: المجتمع ، الشباب ، المدمنون الأغنياء ، فئة الإناث

المصادر

- [1] طاحوا نعيمة شاطر مبارك. أسباب تعاطي المخدرات كما يدركها المسجونين الكويتيون، مجلة دراسة في الخدمة الاجتماعية والعلوم الإنسانية، كلية الخدمة الاجتماعية، جامعة حلوان، القاهرة. 2004 ; (17):305-334.
- [2] برهان علي خليل. الدعوى الموازية وتطبيقاتها في العراق. المجلة الدولية للعلوم الطبية والعامية البيئية. 2020; 3 (1): 14-30.
- [3] غفار سالم، فالكونر روبرت، جل جاسون، ناجي ريما، دكعلي ابراهيم، الجندي احمد. التحقيق في التأثير السام للخلايا للدواء الأولي المضاد للسرطان MT1-MMP. المجلة الدولية للعلوم الطبية والعامية البيئية. 2020; 3 (3): 92-111.
- [4] مارتوت ج، ناكري اي، شيافون اس ، مونتميتو سي، فانيبي سي، باروني ج، بيتروسو ام، دي جيرجيو ا، جيورجيتي ار، فيراستروفي ، تراباس ال. نادي المخدرات: التأثيرات النفسية والخصائص النفسية لعينة من المرضى الداخليين. الحدود في الطب النفسي. 2020 ؛ 11: 879.
- [5] الدرزاوي طالب فرحان. مشروعية الحجر على المختلين عقليا. المجلة الدولية للعلوم الطبية والعامية البيئية.. 2020; 3 (2): 1-6.
- [6] ماكيون ك، فيتزجيرالد ج. تأثير المخدرات على رفاه الأسرة. شبكة المخدرات أيرلندا، 2006; 20:15-16.
- [7] مكتب الأمم المتحدة المعني بالمخدرات والجريمة (UNODC). تقرير المخدرات العالمي 2020 (منشورات الأمم المتحدة ، رقم المبيع E.20.XI.6) ، الأمم المتحدة ، 2020.
- [8] أستلي إس جيه ، ليتل ري. استخدام الأم الماريجوانا أثناء الرضاعة ونمو الرضيع في عام واحد. علم السموم العصبية وعلم المسخ. 1990; 12 (2): 161-168.
- [9] هوارد سي آر ، لورانس را. الرضاعة الطبيعية والتعرض للمخدرات. عيادات أمراض النساء والولادة في أمريكا الشمالية. 1998; 25 (1): 195-217.
- [10] دي فاليس ب، بارولين ام. آثار التعرض الفردي والمشارك للكوكايين والبنزويليكغونين على الحالة المؤكسدة ل *Mytilus galloprovincialis*. علم السموم البيئية وعلم الأدوية. 2020 ; 80: 103475.
- [11] باروس ج ام، هورت اي ال، داهيل اي، ميراندا ار اوه، موراه اي اي، سلغيم ام ار، سلفا سي ج، سانتو ام اي، واك ستافسي، بيلون اس سي. الانتشار والعواقب والعوامل المرتبطة بتعاطي المخدرات بين الأفراد الذين تزيد أعمارهم عن 50 عامًا من منظور الأسرة. الشيخوخة والصحة العقلية. 2020: 1-9.
- [12] اللجنة المشتركة بين الوكالات المعنية بالمخدرات. 2015. السياسة الوطنية للأدوية 2015 إلى 2020. ولينغتون: وزارة الصحة. تم النشر في أغسطس 2015 من قبل وزارة الصحة ص.ب 5013 ، ويلينجتون 6145 ، نيوزيلندا.

References

- [1] Tahwa N S M. Causes of drug abuse as Kuwaiti prisoners perceive them, *Journal of Study in Social Work and Human Sciences*, College of Social Work, Helwan University, Issue 17, Part One, Cairo: 2004: 305-334.
- [2] Burhan A K. Parallel litigation and its application in Iraq. *International Journal of Ecomedical and Public Sciences*. 2020; 3 (1): 14-30.
- [3] Agfer S M, Falconer R A., Gill J H, Nagi R N, Dukali I E., Elgndi A M. Probing the cytotoxic effect of MT1-MMP targeted anticancer prodrug. *International Journal of Ecomedical and Public Sciences*. 2020; 3 (3): 92-111.
- [4] Martinotti G, Negri A, Schiavone S, Montemitro C, Vannini C, Baroni G, Pettoruso M, De Giorgio F, Giorgetti R, Verrastro V, Trabace L. Club Drugs: Psychotropic Effects and Psychopathological Characteristics of a Sample of Inpatients. *Frontiers in Psychiatry*. 2020; 11: 879.
- [5] Al-Drisawi T F. Legitimacy of isolation for the mentally disturbed. *International Journal of Ecomedical and Public Sciences*. 2020; 3 (2): 1-6.
- [6] McKeown K, Fitzgerald G. The impact of drugs on family well-being. *Drugnet Ireland*, Issue 20, 2006: 15-16.
- [7] The United Nations Office on Drugs and Crime (UNODC). *World Drug Report 2020* (United Nations publication, Sales No. E.20.XI.6), United Nations, 2020.
- [8] Astley SJ, Little RE. Maternal marijuana use during lactation and infant development at one year. *Neurotoxicology and teratology*. 1990; 12(2): 161-168.
- [9] Howard CR, Lawrence RA. Breast-feeding and drug exposure. *Obstetrics and gynecology clinics of North America*. 1998; 25(1): 195-217.
- [10] De Felice B, Parolini M. Effects of single and combined exposure to cocaine and benzoylecgonine on the oxidative status of *Mytilus galloprovincialis*. *Environmental Toxicology and Pharmacology*. 2020; 80: 103475.
- [11] Barros GM, Horta AL, Diehl A, Miranda RO, Moura AA, Seleglim MR, Silva CJ, Santos MA, Wagstaff C, Pillon SC. Prevalence, consequences and factors associated with drug use among individuals over 50 years of age in the family perspective. *Aging and Mental Health*. 2020: 1-9.
- [12] Inter-Agency Committee on Drugs. 2015. *National Drug Policy 2015 to 2020*. Wellington: Ministry of Health. Published in August 2015 by the Ministry of Health PO Box 5013, Wellington 6145, New Zealand.

